



MAPLE
D.STR.E.583

Available in:
-Laminate -Self Adhesive



□ MAPLE
D.STR.E.583

DIMENSIONS:

39" x 102" (1000 mm x 2600 mm)



ELEMENTS NATURAL

Materials **inc**
mi source for interiors

MAPLE

PRODUCT CHARACTERISTICS

| | LAMINATE | Self-Adhesive |
|--|---|--|
| Surface material * | impregnated paper | |
| Base material | HIPS | |
| Material thickness mm | 1.1 | 1.23 |
| Temperature resistance | until 122 °F | |
| Wet room suitability | ■■■■□ | |
| Abrasion resistance | ■■■□□□ | |
| Rolled packable Carton 480 x 480 mm, lay rolled goods flat upon receipt | ✓ decor side outside, max. 3 pcs/carton | ✓ decor side inside, max. 3 pcs/carton |
| Smallest bending radius | 150 mm | |
| Weight / panel lbs. | ~ 7.1 | ~ 8.8 |

* The product is delivered without a protective film.

PROCESSING

| | LAMINATE | Self-Adhesive |
|-------------------|------------|---------------|
| Cutting, punching | ✓ | ✓ |
| Drilling | ✓ | ✓ |
| Sawing, milling | ✓ | - |
| Laser cutting | ✓ | ✓ |
| Hot bending | ✓ | - |
| Thermoforming | -- | |
| PVA pressing | ✓ | - |
| Digital printing | - | |
| Screen printing | On request | |

LAMINATE Self-Adhesive

| | | |
|--------------|---------------|---|
| Magnetic | from 3 sheets | ✓ |
| Cuttings | | ✓ |
| Flammability | ASTM E84 | - |
| Flammability | EN13501-1 | - |

